



# SUGAR RESEARCH AUSTRALIA

## DISTRICT PRODUCTIVITY PLAN

### – SOUTH JOHNSTONE 2024

## Introduction

This **District Productivity Plan – South Johnstone 2024** has been developed through consultation and engagement undertaken by SRA's Industry Services team with stakeholders across the sugarcane industry supply chain to drive investment at a local, applied level. It is reviewed and updated annually.

Different sources of data have been used as inputs including grower ideas and contributions from past strategic workshops held with SRA, the industry ABARES survey, through the Local Expert Analysis (LEA) project, mill data, impact assessments where applicable and a range of targeted interviews and survey results.

The plan identifies constraints and proposes solutions and actions to address them. The key to success will be implementation which will require leadership, change, and focus. Reporting on progress will occur six monthly.

*Version control: January 2024  
SRA District Manager Northern, Phil-Anthony Patane*

© Copyright 2024 by Sugar Research Australia Limited. All rights reserved. No part of this publication, may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of Sugar Research Australia Limited. Sugar Research Australia Limited acknowledges and thanks its funding providers, including levy payers (sugarcane growers and millers), the Commonwealth Government, and the Queensland Government (Department of Agriculture and Fisheries). **Disclaimer:** In this disclaimer a reference to 'SRA', 'we', 'us' or 'our' means Sugar Research Australia Limited and our directors, officers, agents and employees. Although we do our very best to present information that is correct and accurate, we make no warranties, guarantees or representations about the suitability, reliability, currency or accuracy of the information we present in this publication, for any purposes. Subject to any terms implied by law and which cannot be excluded, we accept no responsibility for any loss, damage, cost or expense incurred by you as a result of the use of, or reliance on, any materials and information appearing in this publication. You, the user, accept sole responsibility and risk associated with the use and results of the information appearing in this publication, and you agree that we will not be liable for any loss or damage whatsoever (including through negligence) arising out of, or in connection with the use of this publication. We recommend that you contact our staff before acting on any information provided in this publication. **Warning:** Our tests, inspections and recommendations should not be relied on without further, independent inquiries. They may not be accurate, complete or applicable for your particular needs for many reasons, including (for example) SRA being unaware of other matters relevant to individual crops, the analysis of unrepresentative samples or the influence of environmental, managerial or other factors on production.

## Contents

|   |    |
|---|----|
| Introduction .....  | 1  |
| Contents .....  | 2  |
| 1 Australian Sugar Industry Productivity Goal .....   | 3  |
| 2 South Johnstone Overview .....  | 3  |
| 3 Productivity Opportunities and Constraints .....  | 3  |
| 4 Productivity data .....   | 3  |
| 5 South Johnstone productivity goal .....   | 6  |
| 6 District Priorities .....   | 7  |
| 6.1 District Stakeholder Analysis .....   | 8  |
| 7 Events Schedule .....   | 9  |
| 8 Implementation strategy and actions .....   | 10 |
| 8.1 Improving productivity through variety development, selection, and adoption .....         | 10 |
| 8.2 Increasing profitability through improved uptake of sound agronomic practices .....       | 12 |
| 8.3 Improving productivity and profitability through disease measurement and management ..... | 15 |
| 8.4 Improving profitability and productivity through adoption of new technologies .....       | 18 |
| 9 Current SRA funded research projects .....  | 20 |
| 10 Review to measure impacts .....  | 20 |

## 1 Australian Sugar Industry Productivity Goal

The strategic intent for the Australian sugarcane industry is to; utilise the current area under cane to increase productivity by 10% which equates to a three million tonne increase in production across Queensland (QLD) and New South Wales (NSW) by 2026.

At a sugar price of \$500 and 13.5 CCS each tonne of cane has a gross value of \$70 per tonne (sugar and molasses). By achieving this productivity improvement goal, the industry will generate an additional \$210 million in gross revenue.

## 2 South Johnstone Overview

Sugarcane is grown in the South Johnstone cane supply area on approximately 22,000 hectares from Fishery Falls in the north to Feluga in the south. This area is supplied by growers from historically two different districts, Innisfail and Babinda.

Sugarcane is crushed through one mill in the region (South Johnstone). South Johnstone mill crushes an average of 1.6 million tonnes of cane per year to manufacture approximately 200,000 tonnes of raw sugar. The South Johnstone mill area has the potential to crush 1.8 million tonnes of cane per season.

This *District Productivity Plan* covers around two thirds (approx. 16,000 ha) of the South Johnstone cane supply area from roughly the North Johnstone River south to Feluga. This area will be referred to as the *South Johnstone District* throughout this document. Findings and recommendations from this plan will be applicable to the entire South Johnstone cane supply area.

## 3 Productivity Opportunities and Constraints

In mid-2021 a Local Expert Analysis (LEA) was initiated in the South Johnstone District. A general LEA industry reference group was formed for the area which included local industry scientists from agronomy, pathology, machinery, variety development and NIR. The group objectively considered local constraints influencing yield and milling operations. The reference group included representatives from MSF Sugar Pty Ltd, CANEGROWERS Innisfail, Innisfail Babinda Cane Productivity Service (IBCPs), Australian Cane Farmers Association (ACFA), the Department of Agriculture and Fisheries, Queensland (QDAF) and Sugar Research Australia (SRA).

In collaboration with industry representatives the district productivity plan which encompasses the LEA has now assembled targeted actions to address the known constraints while working alongside stakeholders to achieve an improvement in productivity and profitability.

## 4 Productivity data

| SOUTH JOHNSTONE MILL          | 2017      | 2018      | 2019      | 2020      | 2021      | 2022      |
|-------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| <b>T Cane harvested</b>       | 1,801,902 | 1,602,948 | 1,517,654 | 1,771,373 | 1,477,841 | 1,708,282 |
| <b>Ha harvested</b>           | 22,708    | 22,205    | 21,527    | 21,708    | 21,437    | 21,040    |
| <b>Average T cane/ ha</b>     | 79.4      | 72.2      | 70.5      | 81.6      | 68.9      | 81.2      |
| <b>Average CCS</b>            | 12.08     | 13.69     | 12.95     | 12.33     | 11.47     | 11.65     |
| <b>Average tonnes CCS/ ha</b> | 9.6       | 9.9       | 9.1       | 10.1      | 7.9       | 9.4       |




Figure 1: 10-year summary of total tonnes crushed compared to the hectares harvested for South Johnstone






Figure 2: 10-year summary of CCS for South Johnstone, North Queensland, and Queensland



**Figure 3: 10-year summary of South Johnstone, North Queensland, and Queensland cane yield (tonnes per hectare)**



**Figure 4: 10-year summary of South Johnstone, North Queensland, and Queensland tonnes CCS (per hectare)**

| PRODUCTIVITY SNAPSHOT  | 5 YEAR AVERAGE   | What is the target for the district to increase productivity?  |
|--|--|--|
| <b>District - South Johnstone Mill area</b>                    |  |  |
| T Cane harvested   | 1,634,343  | 1,862,945  |
| Ha harvested   | 21,917   | 23,000   |
| Average T cane/ha  | 74.5   | 85   |
| Average Yield ratoon T cane/ha                                 | 73.4   | 82   |
| Average CCS  | 12.45  | 12.50  |
| Average tonnes CCS/ ha   | 9.31   | 10.6   |
| Varieties Top 5 Total Tonnes / %                               | <ul style="list-style-type: none"> <li>- Q200 (23.4%, 75.8 t/ha)</li> <li>- Q208 (21.3%, 74.7 t/ha)</li> <li>- Q253* (8.3%, 82.3 t/ha)</li> <li>- Q250 (7.4%, 73.0 t/ha)</li> <li>- Q231 (6.1%, 67.4 t/ha)</li> </ul> <p>*Q253 has three years of data the others have five.</p> | Suite of varieties for growers to choose from for a range of production environments that have higher yield and disease resistance than those currently grown. |
| # farming entities   | 220  | 220  |
| # mills  | 1  | 1  |
| Clean seed uptake (percent mill area planted to clean seed (%) |  | 1%   |
| Tissue culture uptake (seedlings) annually                     |  | 50,000 seedlings (5 hectares)  |

## 5 South Johnstone productivity goal

It is critical the South Johnstone *District Productivity Plan* contributes to Australia's target of increasing volume of cane to 34 million tonnes under current area. The South Johnstone District needs to improve productivity and target a minimum of 85 tonnes of sugarcane per hectare.

The initial LEA analysis suggested that the most significant constraints affecting productivity were poor nutrition in older ratoon crops (Skocaj 2023), severe *Pachymetra* root rot, widespread incidence of RSD, low uptake of *Pachymetra* resistant varieties, poor adoption of highly productive new varieties, less than ideal extension materials and insufficient quantities of approved seed (Magarey et al., 2023).

There is also opportunity to adopt harvesting tools, such as Harvest Mate, to optimise economic returns for industry (Magarey et al., 2023). The split to achieve an additional 228,602 tonnes of cane per year in the South Johnstone region includes:

- 120,000 tonnes through sound agronomic practices and variety development, selection and adoption.
- 60,000 tonnes through improved disease management.
- 50,000 tonnes through better adoption of new technologies.

Through the entire *District Productivity Plan*, it is essential SRA is transparent and updates the South Johnstone District stakeholders regularly on progress of the program. Stakeholder events and activities include:

- General industry productivity plan annual meeting (review plan).
- Quarterly working group meetings.
- Collaborative field days, open days and workshops for growers and millers (see Events Schedule).

## 6 District Priorities

The following constraints have been identified as productivity priorities for the South Johnstone region that need to be the focus within current programs.

| PRIORITY  | OBJECTIVES  |
|---|---|
| <b>Variety development, selection, and adoption</b> | <ul style="list-style-type: none"> <li>- Improving dissemination of research knowledge through the delivery of targeted and timely communication products, training packages and demonstration activities for growers, advisors and contractors to enhance decisions influencing variety selection and adoption.</li> <li>- Implementation of variety satellite plots throughout the district to promote adoption of newly released varieties.</li> <li>- Open day at satellite plots in collaboration with release of variety guide (see Events Schedule).</li> <li>- Local data/observations supported by SRA, managed/planted/harvested by South Johnstone Variety Management Group.</li> <li>- Collection of CCS maturity curves for recently released varieties and standards.</li> <li>- Implementation of RVTs on marginal productivity environments.</li> </ul> |
| <b>Sound agronomic practices</b>                    | <ul style="list-style-type: none"> <li>- Improving dissemination of research knowledge through the delivery of targeted and timely communication products, training packages and demonstration activities for growers, advisors, and contractors to enhance decisions influencing sound agronomic practices.</li> <li>- Improved nutrient management and soil health tools for the region.</li> <li>- Understanding of crop nutritional status through a soil and leaf survey.</li> </ul>   |
| <b>Disease measurement and management</b>           | <ul style="list-style-type: none"> <li>- Improve dissemination of research knowledge through the delivery of targeted and timely communication products, training packages and demonstration activities for growers, advisors and contractors to enhance decisions influencing disease management.</li> <li>- Development of two research projects: <ul style="list-style-type: none"> <li>o Delivery of a pest and disease diagnostic step change for the sugarcane industry (NIR)</li> <li>o Delivery of a pest and disease diagnostic step change for the sugarcane industry (LAMP).</li> </ul> </li> <li>- Development of sterilisation tools for harvesting and planting.</li> <li>- Adoption of Pachymetra resistant varieties.</li> <li>- Understanding of Pachymetra levels on farm.</li> </ul>   |
| <b>Improved adoption of new technologies</b>        | <ul style="list-style-type: none"> <li>- Improving dissemination of research knowledge through the delivery of targeted and timely communication products, training packages and demonstration activities for growers, advisors and contractors to enhance decisions influencing adoption of new technologies.</li> <li>- Continuous development and improved adoption of Harvest Mate.</li> <li>- Review of harvester front end to improve ratoonability.</li> </ul>   |

## 6.1 District Stakeholder Analysis

Snapshot of the growers in the region based on 2022 t/ha and mills, grower organisations and productivity companies that SRA works with to improve productivity for the region.

| Stakeholder type                                   | Number/ key stakeholders                     | South Johnstone (tonnes)  | Total % of tonnes |
|--|--|---|-------------------|
| X Large growers – over 100,000 T cane              | 1  | 176,021   | 13                |
| Very large growers – over 50,000T cane             | 1  | 73,383  | 6                 |
| Large grower – over 20,000T cane                   | 10   | 277,445   | 21                |
| Medium grower – between 8,000T cane – 20,000T cane | 30   | 259,668   | 27                |
| Other growers < 8,000T                             | 116  | 433,726   | 33                |
| Milling companies                                  | MSF Sugar                                    | <b>Total Growers 158</b><br><b>Average Farm Size 102</b><br><b>Total Tonnes 1,320,243</b> |                   |
| Grower representative organisations                | CANEGRWERS Innisfail and ACFA                |   |                   |
| Productivity companies                             | Innisfail Babinda Cane Productivity Services |   |                   |
| Regional variety committees                        | Northern Regional Variety Committee          |   |                   |

## 7 Events Schedule

| Quarter 1                                  | Target constraint                            | Quarter 2                                  | Target constraint                            | Quarter 3  | Target constraint                            | Quarter 4                                  | Target constraint                            |
|--|--|--|--|--|--|--|--|
| Weed workshop                              | Agronomy                                     | SIX EASY STEPS Workshop                    | Sound agronomic practices                    | Variety walk through with Variety Management Group | Variety development, selection, and adoption | Disease and Pest workshop                  |  |
| Variety walk with Variety Management Group | Variety development, selection, and adoption | Variety walk with Variety Management Group | Variety development, selection, and adoption | Regional Variety Trial Planting                    | Variety development, selection, and adoption | Soil testing                               | Sound agronomic practices                    |
| Harvest Mate Workshop                      | Improved adoption of new technologies        | Showcase event SRA and CCRSF               | Disease measurement and management           |  |  | Variety walk with Variety Management Group | Variety development, selection, and adoption |

## **8 Implementation strategy and actions**

The following tables present activities and their corresponding strategic targets for the South Johnstone District. They summarise key activities with supporting detailed documents to be produced for each program.

All activities address the four priority areas:

1. Variety development, selection and adoption
2. Sound agronomic practices
3. Disease measurement and management
4. Improved adoption of new technologies

Reporting on progress will occur regularly with key stakeholders, as highlighted in section 3 *South Johnstone productivity goal*.

This document will be updated to reflect current activities delivered through SRA, including in collaboration with other delivery partners, which will deliver impactful research and contribute towards achieving the district productivity goal.

### **8.1 Improving productivity through variety development, selection and adoption**

Investments in this priority will increase development, selection and adoption of improved varieties. This will be achieved by:

- Improving dissemination of research knowledge through the delivery of targeted and timely communication products, training packages and demonstration activities for growers, advisors and contractors to enhance decisions influencing variety selection and adoption.
- Implementing additional strategically located satellite seed plots throughout the district. Allowing growers greater access to improved varieties within the district.
- Increasing area planted to clean seed to 1% by 2026.
- Increasing adoption of tissue culture to plant an average area of five hectares per annum (approximately 50,000 seedlings) by 2026.
- Portfolio of information captured on local variety performance for different production environments by 2026 through the local variety management group.

Activities will be delivered in collaboration with growers, MSF Sugar, CANEGROWERS Innisfail and IBCPS over the period of March 2024 to June 2026.

Table 1 Actions, outcomes, and measures for the priority 'improving productivity through variety development, selection, and adoption'

| INVESTMENT RATIONALE   | ACTIVITY/ PROJECT  | OUTPUT/ SOLUTION  | SHORT-TERM OUTCOMES  | MEDIUM-TERM OUTCOMES   | LONG-TERM OUTCOMES  |
|--|--|---|--|--|---|
| Adoption of improved varieties will combine disease resistance with improved productivity. | In collaboration with Cassowary Coast Reef Smart Farming (CCRSF) Program establish strategically located satellite plots of new varieties throughout the region. | Establishment of satellite plots using tissue culture to allow growers to access clean seed of new varieties throughout the region.<br><br>Radical program to provide larger quantities of newer varieties faster (e.g., tissue culture).<br><br>Develop variety transition plans.<br><br>Extension materials (e.g., targeted variety profile) and events.<br><br>Support local variety management group. | Increased rate of new variety adoption = improved disease resistance, productivity, and profitability.<br><br>Improved grower confidence in selecting new/more productive varieties. | Increased adoption of improved varieties measured through area planted.                    | Improved awareness of the benefits of improved varieties.<br><br>Increase area planted to clean seed to 1% by 2026.<br><br>Increase adoption of tissue culture to plant an average area of 5 ha per annum (approximately 50,000 seedlings) by 2026. |
|  | Establish RVT sites in marginal productivity environments.   | Establishment of RVT sites in marginal productivity environments to assess ratoonability.   | Additional data collected assessing ratoonability characteristics.   | Improved industry knowledge of ratoonability characteristics for newly released varieties. | Detailed database on ratoonability characteristics of newly released varieties.   |
|  | CCS maturity curve program.  | Through the pilot plots and RVT sites assess CCS maturity during the season.  | Additional data collected assessing CCS maturity in different climatic conditions.   | Improved industry knowledge of CCS maturity in different climatic conditions.              | Detailed database of CCS maturity in different climatic conditions.   |

## **8.2 Increasing profitability through improved uptake of sound agronomic practices**

This investment will contribute towards increasing yield and profitability through adoption of improved agronomic practices. This will be achieved by:

- Improving dissemination of research knowledge through the delivery of targeted and timely communication products, training packages and demonstration activities for growers, advisors and contractors to enhance decisions influencing farming practices.
- Improved nutrient management and soil health tools for the region.
- Understanding of crop nutritional status through a soil and leaf survey.

Activities will be delivered in collaboration with growers, MSF Sugar, CANEGROWERS Innisfail and IBCPS over the period of March 2024 to June 2026.

Table 2 Actions, outcomes, and measures for the priority 'increasing profitability through improved uptake of sound agronomic practices'

| INVESTMENT RATIONALE  | ACTIVITY/ PROJECT   | OUTPUT/ SOLUTION  | SHORT-TERM OUTCOMES   | MEDIUM-TERM OUTCOMES  | LONG-TERM OUTCOMES   |
|---|---|---|---|---|--|
| <p>On-farm nutrient management has a key role in farm and industry sustainability, and in ensuring minimal off-site impacts occur.</p> <p>The SIX EASY STEPS® nutrient management program is recognised as industry best practice.</p> <p>The key to sustainable sugarcane nutrition is the application of the correct nutrients in the recommended quantities at the right time to the right place (according to spatial and placement needs) (Calcino et al. 2018).</p> | <p>In collaboration with the CCRSF program, review Calcium (and Magnesium) deficiency in older ratoons.</p>           | <p>Demonstration strip trials to showcase yield improvements and importance of assessing soil nutrient status in older ratoons.</p> <p>Develop useful extension messages and resources.</p>   | <p>Improve (or maintain) the performance of older ratoon crops.</p> <p>Increased industry knowledge of good fallow management principles.</p>   | <p>Reduce replanting frequency and help improve profitability.</p> <p>Improvement in productivity due to improved soil fertility and optimal timing of operation.</p>     | <p>Increased adoption of full SIX EASY STEPS®.</p> <p>Increased knowledge on the economics of optimal operation timing.</p>  |
|   | <p>Assessment of crop nutrient status.</p>  | <p>Leaf survey: Sample 100 crops (target 1R crops vs <math>\geq</math>4R crops) with corresponding soil test results and nutrient application records.</p> <p>Analyse results and identify required follow up activities.</p> <p>Assess leaf disease severity at the same time.</p> | <p>Check on the adequacy of nutrient inputs, identify nutrient deficiencies and/or hidden hunger occurring at different spatial scales. Identify opportunities to improve balanced nutrition for enhanced productivity and profitability.</p> | <p>Refined nutrient management.</p> <p>Grower and advisor upskilling.</p> <p>Improved focus on targeted extension efforts and/or identify future research activities.</p> | <p>Increased knowledge on the economics of balanced nutrition.</p> <p>Advisors are more confident in providing advice on nutrient management including tailored strategies for specific circumstances.</p> |
|   | <p>In collaboration with the CCRSF program, assess improved soil testing to determine crop nutrient requirements.</p> | <p>Inter-laboratory soil exchange program.</p> <p>Investigate the establishment of a local industry-hosted soil testing results database.</p> <p>Demonstrate correct soil sampling practices and support growers to</p>   | <p>Balanced nutrition = improved productivity/profitability through:</p> <p>Greater confidence in soil laboratory performance.</p> <p>Increased soil testing (# blocks and frequency of sampling).</p>  | <p>Growers are adopting optimum practice for nutrient management to achieve balanced nutrition and increase yield.</p>  | <p>Increased adoption full SIX EASY STEPS®.</p> <p>Increased knowledge on the economics of balanced nutrition.</p>   |

|                     |  |   |  |  |  |
|---------------------|--|---|--|--|--|
| <i>Continued...</i> |  | develop farm-specific soil sampling strategies. | More efficient nutrient management planning.<br>Ongoing monitoring of soil nutrient status and chemical constraints. |  |  |
|---------------------|--|---|--|--|--|

### **8.3 Improving productivity and profitability through disease measurement and management**

For individual cane farmers, local knowledge of disease severity is important in guiding the selection of varieties to grow on their farm and for assessing the risk of high levels of disease developing in individual cane fields. Knowledge of disease severity in each district therefore remains an important on-going issue.

From recent research conducted by Magarey et al (2021) found approximately 34.3% of the cane in the South Johnstone region was infected with RSD, across an area of 5,597 hectares. The target is to reduce RSD infection to five per cent or 1050 hectares. Controlling RSD can increase yield by approximately 1.8 tonnes per hectare across the mill area.

The distribution and effects of soil-borne diseases (Pachymetra) are often overlooked and under-estimated due to the non-specific nature of above ground symptoms and an inability to view the major effects of the disease (rotted roots).

The strategy is to increase awareness of disease incidence on impacted farms through monitoring/ measuring and demonstrations. Increased training will also be provided on the use of clean seed, improving farm hygiene and sterilisation of harvesting, planting and fertilising equipment.

#### **Disease measurement and management**

- RSD assessment through the mill – assess the incidence of RSD in commercial crops across the mill area.
  - Once severely affected areas are identified a targeted extension strategy will be developed for local implementation.
- Understanding the level of Pachymetra diseased crops across the district through a survey of 1R and 4R blocks.
- Assess attendance at disease workshops and demonstration tours.
  - Target is to have 50% of cane delivered to the mill by growers attending managing sugarcane diseases workshops.

Activities will be delivered in collaboration with growers, MSF Sugar, CANEGROWERS Innisfail and IBCPS over the period of March 2024 to June 2026.

Table 3 Actions, outcomes, and measures for the priority 'improving productivity and profitability through disease measurement and management'

| INVESTMENT RATIONALE   | ACTIVITY/ PROJECT  | OUTPUT/ SOLUTION   | SHORT-TERM OUTCOMES  | MEDIUM-TERM OUTCOMES  | LONG-TERM OUTCOMES   |
|--|--|--|--|---|--|
| RSD is estimated to cost the South Johnstone region \$2.1 million (34.3% infected area in 2020) Magarey et al. (2021). Reducing RSD infection to 5% of the area is the target. | Two research projects:<br>Delivery of a pest and disease diagnostic step change for the sugarcane industry (NIR)                     | Research completed and adopted by mill to allow for specific farm and district-wide RSD crop reports. This will provide for greater awareness of RSD and targeted extension for better disease management. | Research completed to utilise novel technology to identify RSD at the mill.  | Increased adoption of the novel technology by mills. Increased awareness of RSD on-farm and the associated negative productivity and profitability outcomes. Improved RSD management by growers in response to specific RSD crop reports.         | Increased adoption of approved seed by growers. Reduced prevalence of RSD at a regional level. RSD-associated production losses avoided resulting in increased productivity (tonnes cane/ha; tonnes sugar/ha). |
|  | Rapid and cost-effective RSD assay of planting material.   | Novel technology for advisors that produces rapid and cost-effective RSD diagnostics.  | Increase awareness of RSD in planting material and improved adoption of approved seed material.  | Improved and timely RSD diagnosis of planting material.   | Effective RSD assay of planting material resulting in reduced costs for the local industry. Increased proportion of farming entities requesting a plant source inspection (target is 70%).                     |
|  | In collaboration with IBCPS, the CCRSF Program, CANEGROWERS Innisfail, increase adoption of approved seed and improved farm hygiene. | Establishment of additional strategically located tissue culture seed plots. Facilitated training workshops with growers and extension providers.  | Improved access to greater quantities of disease-free planting material. Increase awareness with the impacts of major diseases in the district and improved adoption of approved seed. | Increased planting of clean seed and adoption of new/recently released varieties. Annual workshops attended by farmers representing 50% of the South Johnstone area and 50% of harvest contractors, collectively responsible for 11,000 hectares. | RSD-associated production losses avoided leading to increased productivity (tonnes cane/ha; tonnes sugar/ha).  |

|                     |  |  |   |   |   |
|---------------------|--|--|---|---|---|
| <i>Continued...</i> | Engineering development of harvester sterilisation system.   | Prototype sterilisation unit installed on South Johnstone commercial sugarcane harvester. Testing to follow.   | Installation of the prototype sterilisation unit to a commercial harvester. Increase awareness of harvester RSD transmission with improved adoption of general machinery sterilisation. | Growers and harvest contractors invest in the new sterilisation system with routine application between blocks and farms. Increased purchase of sterilisation systems for harvesters. | Motivation and incentives for use of sterilisation are understood and incorporated into grower and contractor business. |
|                     | In collaboration with the CCRSF program, understand Pachymetra impact in South Johnstone in conjunction with promoting Pachymetra resistant varieties. | Survey to assess severity/predict losses in South Johnstone; 100 sites. Encourage growers to routinely assess severity in their crops (sample after harvesting 2R). Experimental testing to evaluate thresholds on samples collected for nutrient analysis; three sites. Cropping more resistant varieties | Tonnes lost/ economic cost to South Johnstone.  | Growers accessing crop-specific information on Pachymetra to assist with variety selection.   | Reduced crop losses.  |

#### **8.4 Improving profitability and productivity through adoption of new technologies**

Investments in this priority will increase yield and ratoonability through adoption of new technologies. This will be achieved by:

- Improving dissemination of research knowledge through the delivery of targeted and timely communication products, training packages and demonstration activities for growers, advisors and contractors to enhance decisions influencing adoption of new technologies.
- Continuous development and increased adoption of Harvest Mate.
- Reviewing harvester front end to improve ratoonability

Activities will be delivered in collaboration with growers, MSF Sugar, CANEGROWERS Innisfail and IBCPS over the period of March 2024 to June 2026.

Table 4 Actions, outcomes, and measures for the priority 'improving profitability and productivity through adoption of new technologies'

| INVESTMENT RATIONALE  | ACTIVITY/ PROJECT   | OUTPUT/ SOLUTION  | SHORT-TERM OUTCOMES   | MEDIUM-TERM OUTCOMES   | LONG-TERM OUTCOMES   |
|---|---|---|---|--|--|
| <p>Significant opportunities to capture additional sugar yield from the paddock are available to the South Johnstone region. The work of producing the best crop prior to harvest has already been done by the grower – however, adopting an improved harvesting practice can potentially:</p> <p>Increase in productivity per hectare by approximately 5%, contributing to improved supply of cane to mills and improved mill viability.</p> | Develop workshops for growers and harvesting contractors promoting the adoption of new technologies to improve productivity.                | Increased adoption of new technologies to improve productivity.                         | Two workshops attended by 50% of area supplied by growers to the mill and 50% of harvest contractors, collectively responsible for 11,000 hectares. | Growers and harvest contractors are actively adopting and using new technologies to maximise yield and profitability.            | Improvement in yield due to decrease harvesting and ratoon loss.   |
|   | Continuous development of the harvesting decision support tool (Harvest Mate) to improve harvesting contractors and growers' profitability. | Continuous development of Harvest Mate with corresponding demonstration days.           | 30% of area farmed in the South Johnstone region attending the workshops. Increased understanding of harvesting economics.                          | Growers and contractors use the tool to inform changes to operations which improve, productivity, profitability and cane supply. | Increase uptake of growers incentivising harvester contractors. Improvement in economic benefit to growers and harvesting contractors. |
|   | Change in machinery to reduce damage to stools during harvesting and increase ratoonability.  | Development in improvement of front-end of harvester to reduce impact to ratoonability. | Industry gains an understanding of the impact of the front-end of the harvester to ratoonability.   | Improved harvester front-end design.   | Harvester design reduces losses associated with poor ratooning by 50%  |

## 9 Current SRA funded research projects

### Production Focus

- Implementing and validating genomic selection in SRA breeding programs to accelerate improvements in yield, commercial cane sugar, and other key traits (01.10.23).
- Moth borers - how are we going to manage them when they arrive? (01.06.25)
- Development of a resistance screening method for chlorotic streak (21.03.24)
- Delivery of a pest and disease diagnostic step change for the sugarcane industry (RSD - NIR) (01.12.25)
- Delivery of a pest and disease diagnostic step change for the sugarcane industry (RSD-LAMP) (01.05.26)
- Beyond imidacloprid – Chemical and biorational alternatives for managing canegrubs (31.01.24)
- Developing an integrated device for on-farm detection of sugarcane diseases (21.03.24)
- Environmental DNA Technologies and Predictive Modelling for Rapid Detection and Identification of Sugarcane Priority Pests and Diseases (01.06.24)
- Transformational crop protection – Innovative RNAi biopesticides for management of sugarcane root feeding pests (30.06.24)
- Updating the Sugarcane Industry Biosecurity Plan (01.06.27)
- Soldier fly diagnostics, distribution, and development of an artificial diet (01.05.25)
- Viruses to aid biological control of major root-feeding pests of sugarcane (01.08.27)
- Soil specific management for sugarcane production in the Wet Tropics (23.04.24)
- Industry wide leaf and soil survey to detect hidden macro and micronutrient constraints (31.03.24)

### Milling focus:

- Australian Sugar Industry – Development of factory training modules – Phase 3 (01.03.27)
- Use of machine learning to determine the extraneous matter and billet length in cane consignments (01.02.27)
- Bagasse fly ash system performance benchmarking (30.06.24)
- Billet Quality Assessment (30.06.24)

For further information on the above listed projects select the link <https://sugarresearch.com.au/current-research-projects/>

## 10 Review to measure impacts

This District Productivity Plan will be updated every six months with progress reports, and reviewed annually to determine the next plan, track progress and measure impacts.



Phil-Anthony Patane | Northern District Manager and Agricultural Machinery Specialist

**T** 07 4776 8202   **M** 0431 818 482

**Ingham Office** 181 Fairford Road, Ingham

**Postal Address** PO Box 41 Ingham QLD 4850 Australia

[sugarresearch.com.au](http://sugarresearch.com.au)